

General References

Cavender-Bares, J. and Bazzaz, F.A. 2004. From leaves to ecosystems: Using chlorophyll fluorescence to assess photosynthesis and plant function in ecological studies. *In* Chlorophyll fluorescence: a signature of photosynthesis. *Edited by* G.C. Papageorgiou and Govindjee. Kluwer Academic Publishers, Amsterdam. pp. 737-755. <http://www.nku.edu/~boycer/Cavender-Bares%20and%20Bazzaz%202004.pdf>

Genty, B., Briantais, J.-M., and Baker, N.R. 1989. The relationship between the quantum yield of photosynthetic electron transport and quenching of chlorophyll fluorescence. *Biochim. Biophys. Acta* **990**: 87-92.

Lambers, H., Chapin, F.S., III, and Pons, T.L. 1998. *Plant physiological ecology*. Springer-Verlag, New York.

Maxwell, K., and Johnson, G.N. 2000. Chlorophyll fluorescence--a practical guide. *J. Exp. Bot.* **51**: 659-668.

F_v/F_m

Cold temperatures/freezing stress

Adams, W.W., III, and Demmig-Adams, B. 1994. Carotenoid composition and down regulation of photosystem II in three conifer species during the winter. *Physiol. Plantarum* **92**: 451-458.

Adams, W.W., III, and Demmig-Adams, B. 1995. The xanthophyll cycle and sustained thermal energy dissipation activity in *Vinca minor* and *Euonymus kiautschovicus* in winter. *Plant Cell Environ.* **18**: 117-127.

Adams, W.W., III, Demmig-Adams, B., Verhoeven, A.S., and Barker, D.H. 1995. 'Photoinhibition' during winter stress: Involvement of sustained xanthophyll cycle-dependent energy dissipation. *Aust. J. Plant Physiol.* **22**: 261-276.

Bolhàr-Nordenkampf, H.R., and Lechner, E.G. 1988. Temperature and light dependent modifications of chlorophyll kinetics in spruce needles during winter. *Photosyn. Res.* **18**: 287-298.

Devisscher, G., and Malek, L. 1993. Freezing sensitivity and genetic variation in frost hardiness of black spruce seedlings using chlorophyll *a* variable fluorescence. *Plant Physiology (Suppl.)* **102**: 83.

Han, Q., Katahata, S., Yoshitaka, K., and Mukai, Y. 2004. Seasonal changes in the xanthophyll cycle and antioxidants in sun-exposed and shaded parts of the crown of *Cryptomeria japonica* in relation to rhodoxanthin accumulation during cold acclimation. *Tree Physiol.* **24**: 60-616.

Lamontagne, M., Bigras, F.J., and Margolis, H.A. 2000. Chlorophyll fluorescence and CO₂ assimilation of black spruce seedlings following frost in different temperature and light conditions. *Tree Physiol.* **20**: 249-255.

Lindgren, K., and Hällgren, J.-E. 1993. Cold acclimation of *Pinus contorta* and *Pinus sylvestris* assessed by chlorophyll fluorescence. *Tree Physiol.* **13**: 97-106.

Lundmark, T., Hällgren, J.-E., and Hedén, J. 1988. Recovery from winter depression of photosynthesis in pine and spruce. *Trees* **2**: 110-114.

Martínez-Ferri, E., Manrique, E., Valladares, F., and Balaguer, L. 2004. Winter photoinhibition in the field involves different processes in four co-occurring Mediterranean tree species. *Tree Physiol.* **24**: 981-990.

Öquist, G., and Huner, N.P.A. 1991. Effects of cold acclimation on the susceptibility of photosynthesis to photoinhibition in Scots pine and in winter and spring cereals: a fluorescence analysis. *Funct. Ecol.* **5**: 91-100.

Öquist, G., and Wass, R. 1988. A portable, microprocessor operated instrument for measuring chlorophyll fluorescence kinetics in stress physiology. *Physiol. Plantarum* **73**: 211-217.

Ottander, C., and Öquist, G. 1991. Recovery of photosynthesis in winter-stressed Scots pine. *Plant Cell Environ.* **14**: 345-349.

Robakowski, P. 2005. Susceptibility to low-temperature photoinhibition in three conifers differing in successional status. *Tree Physiol.* **25**: 1151-1160.

Verhoeven, A.S., Adams, W.W., III, and Demmig-Adams, B. 1996. Close relationship between the state of the xanthophyll cycle pigments and photosystem II efficiency during recovery from winter stress. *Physiol. Plantarum* **96**: 567-576.

Verhoeven, A.W., Adams, W.W., III, and Demmig-Adams, B. 1999. The xanthophyll cycle and acclimation of *Pinus ponderosa* and *Malva neglecta* to winter stress. *Oecologia* **118**: 277-287.

Weng, J.-H., Chen, Y.-N., and Liao, T.-S. 2006. Relationships between chlorophyll fluorescence parameters and photochemical reflectance index of tree species adapted to different temperature regimes. *Functional Plant Biology* **33**: 241-246.

Zarter, C.R., Adams, W.W., III, Ebbert, V., Adamska, I., Jansson, S., and Demmig-Adams, B. 2006. Winter acclimation of PsbS and related proteins in the evergreen *Arctostaphylos uva-ursi* as influenced by altitude and light environment. *Plant Cell Environ.* **29**: 869-878.

Excess light (with cold stress)

Germino, M.J., and Smith, W.K. 2000. High resistance to low-temperature photoinhibition in two alpine, snowbank species. *Physiol. Plantarum* **110**: 89-95.

Maher, E.L., Germino, M.J., and Hasselquist, N.J. 2005. Interactive effects of tree and herb cover on survivorship, physiology, and microclimate of conifer seedlings at the alpine tree-line ecotone. *Can. J. For. Res.* **35**: 567-574.

UV light

Albert, K.R., Mikkelsen, T.N., and Ro-Poulsen, H. 2005. Effects of ambient versus reduced UV-B radiation on high arctic *Salix arctica* assessed by measurements and calculations of chlorophyll *a* fluorescence parameters from fluorescence transients. *Physiol. Plantarum* **124**: 208-226.

Nutrient stress—N, P, Ca

Boyce, R.L. 2006. Chlorophyll fluorescence response of red spruce and balsam fir to a watershed calcium fertilization experiment in New Hampshire, USA. *Can. J. For. Res.* *in review*.

Conroy, J.P., Smillie, R.M., Küppers, M., Bevege, D.I., and Barlow, E.W. 1986. Chlorophyll *a* fluorescence and photosynthetic and growth responses of *Pinus radiata* to phosphorus deficiency, drought stress, and high CO₂. *Plant Physiol.* **81**: 423-429.

Grassi, G., Colom, M.R., and Minotta, G. 2001. Effects of nutrient supply on photosynthetic acclimation and photoinhibition of one-year-old foliage of *Picea abies*. *Physiol. Plantarum* **111**: 245-254.

McKinnon, L.M., and Mitchell, A.K. 2003. Photoprotection, not increased growth, characterizes the response of Engelmann spruce (*Picea engelmannii*) seedlings to high light, even when resources are plentiful. *New Phytol.* **160**: 69-79.

Strand, M. 1997. Effect of mineral nutrient content on oxygen exchange and chlorophyll *a* fluorescence in needles of Norway spruce. *Tree Physiol.* **17**: 221-230.

Pollutants

Odasz-Albrigtsen, A.M., Tømmervik, H., and Murphy, P. 2000. Decreased photosynthetic efficiency in plant species exposed to multiple airborne pollutants along the Russian-Norwegian border. *Can. J. Bot.* **78**: 1021-1033.

Saarinen, T., and Liski, J. 1993. The effect of industrial air pollution on chlorophyll fluorescence and pigment contents of Scots pine (*Pinus sylvestris*) needles. *European Journal of Forest Pathology* **23**: 353-361.

Schmuck, G. 1990. Applications of *in vivo* chlorophyll fluorescence in forest decline research. *International Journal of Remote Sensing* **11**: 1165-1177.

Strand, M. 1993. Photosynthetic activity of Scots pine (*Pinus sylvestris* L.) needles during winter is affected by exposure to SO₂ and NO₂ during summer. *New Phytol.* **123**: 133-141.

Verhoeven, A.S., Demmig-Adams, B., and Adams, W.W., III. 1997. Enhanced employment of the xanthophyll cycle and thermal energy dissipation in spinach exposed to high light and N stress. *Plant Physiol.* **113**: 817-824.

Drought

Ögren, E. 1990. Evaluation of chlorophyll fluorescence as a probe for drought stress in willow leaves. *Plant Physiol.* **93**: 1280-1285.

Pukacki, P.M., and Kaminska-Rożek, E. 2005. Effect of drought stress on chlorophyll *a* fluorescence and electrical admittance of shoots in Norway spruce seedlings. *Trees* **19**: 539-544.

Souza, R.P., Machado, E.C., Silva, J.A.B., Lagôa, A.M.M.A., and Silveira, J.A.G. 2004. Photosynthetic gas exchange, chlorophyll fluorescence and some associated metabolic changes in cowpea (*Vigna unguiculata*) during water stress and recovery. *Environ. Exp. Bot.* **51**: 45-56.

Φ_{PSII}

Nitrogen deficiencies

Chen, L.-S., and Cheng, L. 2003. Both xanthophyll cycle-dependent thermal dissipation and the antioxidant system are upregulated in grape (*Vitis labrusca* L. cv. Concord) leaves in response to N limitation. *J. Exp. Bot.* **54**: 2165-2175.

Strand, M. 1997. Effect of mineral nutrient content on oxygen exchange and chlorophyll *a* fluorescence in needles of Norway spruce. *Tree Physiol.* **17**: 221-230.

Verhoeven, A.S., Demmig-Adams, B., and Adams, W.W., III. 1997. Enhanced employment of the xanthophyll cycle and thermal energy dissipation in spinach exposed to high light and N stress. *Plant Physiol.* **113**: 817-824.

Temperature

Robakowski, P. 2005. Susceptibility to low-temperature photoinhibition in three conifers differing in successional status. *Tree Physiol.* **25**: 1151-1160.

Drought

Lu, C., Qiu, N., Lu, Q., Wang, B., and Kuang, T. 2003. PSII photochemistry, thermal energy dissipation, and the xanthophyll cycle in *Kalanchoë daigremontiana* exposed to a combination of water stress and high light. *Physiol. Plantarum* **118**: 173-182.

Souza, R.P., Machado, E.C., Silva, J.A.B., Lagôa, A.M.M.A., and Silveira, J.A.G. 2004. Photosynthetic gas exchange, chlorophyll fluorescence and some associated metabolic changes in cowpea (*Vigna unguiculata*) during water stress and recovery. *Environ. Exp. Bot.* **51**: 45-56.

F'_v/F'_m

Nitrogen deficiencies

Chen, L.-S., and Cheng, L. 2003. Both xanthophyll cycle-dependent thermal dissipation and the antioxidant system are upregulated in grape (*Vitis labrusca* L. cv. Concord) leaves in response to N limitation. *J. Exp. Bot.* **54**: 2165-2175.

Strand, M. 1997. Effect of mineral nutrient content on oxygen exchange and chlorophyll *a* fluorescence in needles of Norway spruce. *Tree Physiol.* **17**: 221-230.

Tomaszewski, T., and Sievering, H. 2006. Canopy uptake of atmospheric N deposition at a conifer forest: Part II- response of chlorophyll fluorescence and gas exchange parameters. *Tellus B in press.*

Verhoeven, A.S., Demmig-Adams, B., and Adams, W.W., III. 1997. Enhanced employment of the xanthophyll cycle and thermal energy dissipation in spinach exposed to high light and N stress. *Plant Physiol.* **113**: 817-824.

Temperature

Corcuera, L., Morales, F., Abadía, A., and Gil-Pelegrín, E. 2005. Seasonal changes in photosynthesis and photoprotection in a *Quercus ilex* subsp. *ballota* woodland located in its upper altitudinal extreme in the Iberian Peninsula. *Tree Physiol.* **25**: 599-608.

Han, Q., Katahata, S., Yoshitaka, K., and Mukai, Y. 2004. Seasonal changes in the xanthophyll cycle and antioxidants in sun-exposed and shaded parts of the crown of *Cryptomeria japonica* in relation to rhodoxanthin accumulation during cold acclimation. *Tree Physiol.* **24**: 60-616.

Drought

Lu, C., Qiu, N., Lu, Q., Wang, B., and Kuang, T. 2003. PSII photochemistry, thermal energy dissipation, and the xanthophyll cycle in *Kalanchoë daigremontiana* exposed to a combination of water stress and high light. *Physiol. Plantarum* **118**: 173-182.

Souza, R.P., Machado, E.C., Silva, J.A.B., Lagôa, A.M.M.A., and Silveira, J.A.G. 2004. Photosynthetic gas exchange, chlorophyll fluorescence and some associated metabolic changes in cowpea (*Vigna unguiculata*) during water stress and recovery. *Environ. Exp. Bot.* **51**: 45-56.

qP

Nitrogen deficiencies

Baillon, F., Dalschaert, X., Grassi, S., and Geiss, F. 1988. Spruce photosynthesis: possibility of early damage diagnosis due to exposure to magnesium or potassium deficiency. *Trees* **2**: 173-179.

Chen, L.-S., and Cheng, L. 2003. Both xanthophyll cycle-dependent thermal dissipation and the antioxidant system are upregulated in grape (*Vitis labrusca* L. cv. Concord) leaves in response to N limitation. *J. Exp. Bot.* **54**: 2165-2175.

Strand, M. 1997. Effect of mineral nutrient content on oxygen exchange and chlorophyll *a* fluorescence in needles of Norway spruce. *Tree Physiol.* **17**: 221-230.

Temperature

Corcuera, L., Morales, F., Abadía, A., and Gil-Pelegrín, E. 2005. Seasonal changes in photosynthesis and photoprotection in a *Quercus ilex* subsp. *ballota* woodland located in its upper altitudinal extreme in the Iberian Peninsula. *Tree Physiol.* **25**: 599-608.

Han, Q., Katahata, S., Yoshitaka, K., and Mukai, Y. 2004. Seasonal changes in the xanthophyll cycle and antioxidants in sun-exposed and shaded parts of the crown of *Cryptomeria japonica* in relation to rhodoxanthin accumulation during cold acclimation. *Tree Physiol.* **24**: 60-616.

Drought

Havaux, M., Ernez, M., and Lannoye, R. 1988. Tolerance of poplar (*Populus* sp.) to environmental stresses. I. Comparative study of poplar clones using the *in vivo* chlorophyll fluorescence method. *Acta Oecologica/Oecologia Plantarum* **9**: 161-172.

Lu, C., Qiu, N., Lu, Q., Wang, B., and Kuang, T. 2003. PSII photochemistry, thermal energy dissipation, and the xanthophyll cycle in *Kalanchoë daigremontiana* exposed to a combination of water stress and high light. *Physiol. Plantarum* **118**: 173-182.

Schreiber, U., and Bilger, W. 1987. Rapid assessment of stress effects on plant leaves by chlorophyll fluorescence measurements. *In* Tenhunen, J.D., and Catarino, E.M. (eds.). *Plant response to stress*, pp. 27-35. Springer-Verlag, Berlin.

Souza, R.P., Machado, E.C., Silva, J.A.B., Lagôa, A.M.M.A., and Silveira, J.A.G. 2004. Photosynthetic gas exchange, chlorophyll fluorescence and some associated metabolic changes in cowpea (*Vigna unguiculata*) during water stress and recovery. *Environ. Exp. Bot.* **51**: 45-56.